


### **Deposit Type Definitions:**

GRAVEL deposit: contains greater than 75% gravel. sandy GRAVEL deposit: contains 50% to 75% gravel. gravelly SAND deposit: contains 25% to 50% gravel. SAND deposit: contains less than 25% gravel. UNKNOWN deposit: amount of gravel unknown.

clean deposit: contains less than 3% silt and clay. dirty deposit: contains 3% to 10% silt and clay. very dirty deposit: contains greater than 10% silt and clay. unknown: contains unknown percentage of mixed silt and clay.




UTM, zone 11 grid



This is a common map legend. Not all units may be present on this map.

+ 450000m.E



## Study Level Definitions:

Level 1 Aggregate reserves confirmed by grid testing and sampling.

Level 2 Aggregate resources confirmed by multiple test holes and sampling.

Level 3 Sand and/or gravel confirmed by Alberta Geological Survey site investigation and limited sampling and testing.

Level 4 Sand and/or gravel areas assumed by Alberta Geological Survey investigation of associated sites, remote sensing and other sources of information.

Level 5 Potential sand and/or gravel areas identified from remote sensing and other sources of information without Alberta Geological Survey site investigation.

# References:

Bayrock, L.A. and Reimchen, T.H.F. (1980): Surficial geology of the Alberta foothills and Rocky Mountains, NTS 83L, NTS 83F, NTS 83B, NTS 82O, NTS 82J, NTS 82G, NTS 82H; Alberta Research Council, Map 150, scale 1:250 000.

Edwards, W.A.D. (1979): Sand and gravel deposits in the Canmore corridor area; Alberta Research Council, Earth Sciences Report 1979-02, 30 p.

Edwards, W.A.D. and Scafe, D. (1996): Mapping and resource evaluation of the Tertiary and preglacial sand and gravel formations of Alberta; Alberta Energy-Alberta Geological Survey, OFR 1994-06, 241 p.

Holter, M.E. (1975): Gravel resources of the Red Deer area; Alberta Research Council, Earth Sciences Report 1975-03, 54 p.

Scafe, D.W. and Sham, P.C. (1987): Sand and gravel resources of the Rocky Mountain House (west three quarters of 83B) and Calgary (north-central of 82O) map areas, Alberta; Alberta Research Council, OFR 1987-03, 232 p.

Shetsen, I. (1981): Aggregate resources of the Calgary map area, NTS 82O/01; Alberta Research Council, Map A82O01, scale 1:50 000. Shetsen, I. (1981): Aggregate resources of the Jumpingpound Creek map area, NTS 82O/02; Alberta Research Council, Map A82O02, scale 1:50 000.

Shetsen, I. (1987): Quaternary geology, southern Alberta; Alberta Research Council, Map 207, scale 1:500 000.

Shetsen, I. (1991): Sand and gravel resources of the Calgary area, Alberta; Alberta Research Council, OFR 1981-08, 96 p.

GIS/Data Base/Cartography by: M.C. Price, D.K. Chao, B.E. Schmidtke (Livingstone Geological Services), Z.A. Amer and N.L. Blundon

Digital base map provided by: Spatial Data Warehouse

The Alberta Geological Survey and its employees and contractors make no warranty, guarantee or representation, express or implied, or assume any legal liability regarding the correctness, accuracy, completeness, or reliability of this publication. When using information from this publication in other publications or presentations, due acknowledgement should be given to the Alberta Energy and Utilities Board/Alberta Geological Survey.

